



US006197917B1

(12) **United States Patent**
Kimura et al.

(10) **Patent No.:** **US 6,197,917 B1**
(45) **Date of Patent:** **Mar. 6, 2001**

- (54) **METHOD FOR MANUFACTURING POLYCARBONATE FOR OPTICAL USE**
- (75) Inventors: **Takato Kimura**; **Satoru Omori**, both of Ichihara (JP); **Ryozo Sato**, Murcia (ES); **Tomoaki Shimoda**, Ichihara; **Akio Kanezawa**, Sodegaura, both of (JP)
- (73) Assignee: **General Electric Company**, Schenectady, NY (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.
- (21) Appl. No.: **09/376,450**
- (22) Filed: **Aug. 18, 1999**
- (30) **Foreign Application Priority Data**
Sep. 2, 1998 (JP) 10-248690
- (51) **Int. Cl.**⁷ **C08G 64/00**

- (52) **U.S. Cl.** **528/196**; 528/198
(58) **Field of Search** 528/196, 198

- (56) **References Cited**
FOREIGN PATENT DOCUMENTS
4-325284 11/1992 (JP) .
8-325184 12/1996 (JP) .

Primary Examiner—Terressa M. Boykin

- (57) **ABSTRACT**
The specification provides a method for the manufacture of a high-quality optical polycarbonate that contains few inorganic or organic impurities or other microparticles, and that has a superior hue. Specifically, the specification provides a method for the manufacture of a polycarbonate by the melt polycondensation of a bisphenol and a carbonic diester, wherein the molten mixture of a bisphenol and a carbonic diester is filtered with a membrane filter made of a fluoro-resin, after which melt polycondensation is conducted.

7 Claims, No Drawings